

CRF Errors Corrected by the STIC Systems Branch

BATCH

Serial Number: 09/603,665

ENTERED

CRF Processing Date: 11/16/2000
 Edited by: A
 Verified by: A (STIC staff)

- ☐ Changed a file from non-ASCII to ASCII
- ☐ Changed the margins in cases where the sequence text was "wrapped" down to the next line.
- ☐ Edited a format error in the Current Application Data section, specifically: _____
- ☐ Edited the Current Application Data section with the actual current number. The number inputted by the applicant was ☐ the prior application data; or ☐ other _____
- ☐ Added the mandatory heading and subheadings for "Current Application Data".
- ☐ Edited the "Number of Sequences" field. The applicant spelled out a number instead of using an integer.
- ☐ Changed the spelling of a mandatory field (the headings or subheadings), specifically: _____
- ☐ Corrected the SEQ ID NO when obviously incorrect. The sequence numbers that were edited were: _____
- ☐ Inserted or corrected a nucleic number at the end of a nucleic line. SEQ ID NO's edited: _____
- ☐ Corrected subheading placement. All responses must be on the same line as each subheading. If the applicant placed a response below the subheading, this was moved to its appropriate place.
- ☐ Inserted colons after headings/subheadings. Headings edited included: _____
- ☐ Deleted extra, invalid, headings used by an applicant, specifically: _____
- ☒ Deleted: ☒ non-ASCII "garbage" at the beginning/end of files; ☐ secretary initials/filename at end of file;
☐ page numbers throughout text; ☐ other invalid text, such as _____
- ☐ Inserted mandatory headings, specifically: _____
- ☐ Corrected an obvious error in the response, specifically: _____
- ☐ Edited identifiers where upper case is used but lower case is required, or vice versa.
- ☐ Corrected an error in the Number of Sequences field, specifically: _____
- ☐ A "Hard Page Break" code was inserted by the applicant. All occurrences had to be deleted.
- ☐ Deleted **ending** stop codon in amino acid sequences and adjusted the "(A)Length:" field accordingly (error due to a PatentIn bug). Sequences corrected: _____
- ☐ Other: _____

Examiner: The above corrections must be communicated to the applicant in the first Office Action. DO NOT send a copy of this form.

1000

1000 1000 1000

1000 1000 1000 1000

1000 1000 1000

1000 1000 1000

1000

10/1/77

10/1/77

100-100000

FYI:

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

1643

ERRORS REPORTED

NO. OF ERRORS
NO. OF RECORDS

Does Not Comp
Corrected Data

NO. OF RECORDS

ERRORS REPORTED

NO. OF RECORDS

